



All dimensions are nominal. Illustration may be shown with optional equipment.

Standard Features

Hitch/Tongue

- Adjustable Height, Bolt-on Coupler
- 3" Pintle Ring
- 7-Pole RV Plug
- One-piece Cold Formed I-Beam Frame Rails
- Integrated Storage Tray (Lockable Lid Optional)
- 12k Bolt-on, Side-wind, Drop-Leg Parking Jack
- Battery Break-Away Kit with Tow Charger and Test Light
- Safety Chains with Hooks

Frame/Deck

- 82" Between Fenders
- 21.5" Deck Height (Fully Loaded)
- 8" I-Beam Main Frame
- 3" Jr. I-Beam Crossmembers, 80,000 PSI
- 2" Nominal White Oak Wood Deck
- Formed Flat Bar Tie Downs (4 Per Side)
- 12 Gauge One-Piece Formed Fender/Panel

Ramps/Tail

- 18" x 5'-0" Channel Sides, Cleated Ladder Style
- Solid-Bar Pinned Ramp Hold-Ups
- Load Angle: 19°

Axles/Suspension

- Rubber-Ride Torsion Suspension Axles
- (2) 7,000 lb. Axles (4 Wheels)
- Tires-235/85R16, Load Range F, 12-Ply
- 16" Wheels, 8 Bolt
- Electric Brakes
- Forward Self-Adjusting Brakes
- Standard (Non-EZ Lube) Hubs
- 34" Axle Spacing

Lights/Wiring

- Rubber Grommet Mounted LED Lights
- Sealed Modular Wiring Harness

Standard Features

- Limited Lifetime Frame Warranty-10 years
- One-Year Full Warranty
- 10 Year Suspension Warranty
- Weatherproof Registration Holder
- Two-Component Polyurethane Primer and Paint
- Trailer Color: Equipment Black
- Ramp Color: Equipment Red

GAWR (lbs.)	GVWR (lbs.)	Weight (lbs.)	Capacity (lbs.)	Deck Width (in.)	Deck Length (ft.)
14,000	17,380	3,380	14,000	82"	18'
14,000	17,500	3,500	14,000	82"	20'

Options	TC-12D	TC-14D
TONGUE/HITCH		
Hydraulic Surge Brakes with Free Backing (Check Local D.O.T Laws)	•	•
2-5/16" Ball Coupler	•	•
3" Pintle Ring	•	
4-Way Flat Electrical Plug	•	
6-Pole Round Electrical	•	•
7-Pole Round Electrical	•	•
12k Drop-Leg, Side-Wind Jack (In Lieu of 7K)	•	
12k Spring Foot Jack	•	
12k Spring Foot Jack		•
25k Two-Speed Parking Jack		•
Lockable Storage Tray Lid (Storage Tray Standard)	•	•
Mesh in A-Frame of Tongue	•	•
A-Frame Gooseneck (2-5/16" coupler) 84" swing clearance, 39" hitch height/truck bed height (please call if your measurement is different). A toolbox, toolbox lid and dual 12k jacks are included.	•	•
Spare Tire Mount on A-Frame Gooseneck (Spare Tire Sold Separately)	•	•
A-Frame Gooseneck Toolbox (lockable) Mounted Between the Gooseneck Uprights, Includes a Chain Bar	•	•
MAIN DECK/BEAVERTAIL		
Pallet Fork Holders	•	•
Additional Flat Bar Tie-Downs	•	•
D-Ring Tie-Downs	•	•
White Oak Decking in Lieu of Pressure Treated Pine Wood	•	
Apitong Wood Decking Upgrade	•	•
7-Gauge Steel Deck in Lieu of Pressure Treated Pine Wood, with Non-Slip Grit	•	•
3/16" Diamond Plate Steel Decking. Crossmembers 12" On-Center	•	•
Rub Rail and Stake Pockets in Lieu of Flat Bar Tie Downs	•	•
3-foot Wood-Topped Beavertail with 5' Angle-Iron Ramps (10 Degree Load Angle)	•	•
3-Foot Angle Iron Beavertail with 5' Angle-Iron Ramps (10 degree load angle)	•	•
SUSPENSION/TIRES AND WHEELS		
EZ Lube Hubs	•	•
Hubodometer-Mounts on Wheel to Measure Distance Traveled	•	•
Spare Tire Mount Bracket, Mounted Curbside in Front of the Fender (Not to be used with Rub Rail)	•	•
Spare Tire and Wheel 235/85R16 Load Range "F"	•	•
Spare Tire and Wheel 235/85R16 Load Range "G"	•	•
235/85R16 Load Range "G" 14-Ply Upgrade (in lieu of "F") set of Four Tires	•	•

Options	TC-12D	TC-14D
RAMPS		
Spring Assist Ramp Kit	•	•
Auto-Latch Ramp Hold-Up System	•	•
Wood Filled 5-Foot Ramps (Pair)	•	•
Full Width Mesh-Top Ramps. Two ramps 48" wide x 5'-0" Long Each. Solid-Bar Ramp Hold-Ups with Spring Assist Included.	•	•
5'-0" Ramps with Star Traction and Solid Ramp Hold-Ups	•	•
6'-0" Ramps with Star Traction and Solid-Bar Ramp Hold-Ups (Improves Load Angle by 2 Degrees versus 5'-0" ramps)	•	•
6'-0" Ramps, Cleated Ladder Style with Solid-Bar Ramp Hold-Ups (Improves Load Angle by 2 Degrees versus 5'-0" ramps)	•	•
PAINT/ELECTRICAL/OTHER		
8K Electric Winch with 95 Feet of 5/16" Cable, Mounted on the Deck Side of Headboard, Includes a Battery and Charger	•	•
Trailer Color Options: See Standard Color Chart	•	•
Galvanizing-(Please Call for Current Cost)	•	•
Custom Paint Color: Market Price (Please Call for Cost)		
Two Chock Blocks with Holders (Mounted on Front of Fenders)	•	•
Change Ramp Color from Red to Yellow, or Blue or Charcoal (No Charge for Black)	•	•